

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/518,439	12/17/2004	David V. Flaugher	020362 056P2 7810		
7590 10/04/2006			EXAMINER		
Bruce E Peacock			GRAVINI, STEPHEN MICHAEL		
Wegman Hessler & Vanderburg 6055 Rockside Woods Boulevard			ART UNIT	PAPER NUMBER	
Suite 200			3749		
Cleveland, OH 44131			DATE MAILED: 10/04/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

س

Supplemental Notice of Allowability

Application No.	Applicant(s)		
10/518,439	FLAUGHER, DAVID V.		
Examiner	Art Unit		
Stephen Gravini	3749		

Stephen Gravini	3749				
(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	plication. If not include will be mailed in due	ed course. THIS			
e been received. e been received in Application No cuments have been received in this r of this communication to file a reply	national stage applica				
nitted. Note the attached EXAMINER'	S AMENDMENT or N tion is deficient.	OTICE OF			
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 					
6. ☐ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendn	(PTO-413), e nent/Comment	wance			
	ears on the cover sheet with the compared to the cover sheet	ears on the cover sheet with the correspondence address (OR REMAINS) CLOSED in this application. If not include or other appropriate communication will be mailed in due IGHTS. This application is subject to withdrawal from issues and MPEP 1308. Inder 35 U.S.C. § 119(a)-(d) or (f). Inder 35 U.S.C. § 119(a)-(d) or (f). Inder appropriate communication No Inder appropriate communication Independent No Inder appropriate communication Independent No Inder appropriate communication Independent Indep			

Art Unit: 3749

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

change claim 37 to read "The desiccant cartridge of claim 33" (not of claim 38).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen Gravini whose telephone number is 571 272 4875. The examiner can normally be reached on normal weekday business hours (east coast time).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ehud Gartenberg can be reached on 571 272 4828. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/518,439

Art Unit: 3749

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

SMG september 28, 2006 Slephen Gravni

Page 3